


## Synergy 21 LED remote Smart Panel RGB-WW (RGB-CCT) \*Milight/Miboxer\*



Optimise the control of your lighting with the **1-Zone Wireless RGB-CCT Smart Panel**. This modern remote control offers you the opportunity to control your lighting conveniently and flexibly, ideal for a smart and comfortable home.

The **1-Zone Wireless RGB-CCT Smart Panel** is an advanced remote control specifically designed to control RGB-CCT lighting solutions. With a compact size of **86x86mm**, this smart panel fits seamlessly into any environment and offers a user-friendly interface for easy operation.

The remote control is powered by **2 AAA batteries** (not included), which supply a voltage of **3V**. Thanks to the **transmission frequency of 2400-2483.5MHz** and the **GFSK** modulation method, this smart panel ensures a stable and reliable connection to your lighting devices. With a **transmission power of 6dBm** and a **control range of up to 30 metres**, you can precisely adjust your lighting from a distance.

The smart panel is extremely energy efficient, with a standby power consumption of only **20uA**. This means that the batteries last a long time and the remote control is always ready for use when you need it.

This **1-Zone Wireless RGB-CCT Smart Panel** gives you the ability to continuously adjust the brightness and colour temperature of your lighting. Whether warm white light for a cosy atmosphere or bright white for concentrated work - with this smart panel you have full control. The user-friendly interface and easy installation make it the ideal choice for anyone looking to modernise their lighting.

Experience the benefits of intuitive lighting control with the **1-Zone Wireless RGB-CCT Smart Panel**.

1 zone wireless RGB-CCT Smart Panel

Remote Controller  
Working Temperature: -20 - +60°C  
Voltage: 3V(2\*AAA Battery)  
Transmission Frequency: 2400-2483.5MHz  
Modulation Method: GFSK  
Transmitting Power: 6dBm  
Control Distance: 30m  
Standby Power: 20uA  
Panel Size: 86\*86mm

Requires 2 AAA batteries, not included

## Attributes

Attribute	Value
Grösse:	86*86
Lichtfarbe:	RGB-WW
Weight:	0.2 Kg
Warranty:	24.00 Months

## Additional Images





**Press the button with Sound**  
The sound can be ON/OFF  
When touching the button, LED indicating lamp will flash once with different sound (Touch slider with no sound).

**High-end tempered glass panel**  
Tempered glass panel, scratching and crushing resistance



**Adjust warm white to cool white randomly**  
Adjust the color temperature from 2700-6500K, make the light you want





## COMPATIBLE REMOTE SHEET

Product	Compatible Remote
	
	
	

## Accessories

Part No.	Name
147689	Batterien Micro AAA 1,5V *Duracell* Industrial 10er Pack
124652	Synergy 21 LED dekoline wine glass RGB-W cw *Milight/Miboxer*
124657	Synergy 21 LED dekoline wine glass RGB-W ww *Milight/Miboxer*
147946	Synergy 21 LED Panel round 6W RGB-WW with RF and WLAN *Milight/Miboxer*
147979	Synergy 21 LED Panel round 12W RGB-WW with RF and WLAN *Milight/Miboxer*
147980	Synergy 21 LED panel round 15W RGB-WW with RF and WLAN IP54 *Milight/Miboxer*
148008	Synergy 21 LED garden lamp 9W RGB-WW with RF and WLAN IP65 24V *Milight/Miboxer*
148010	Synergy 21 LED garden lamp 9W RGB-WW with RF and WLAN IP65 230V *Milight/Miboxer*
148013	Synergy 21 LED floodlighter 10W RGB-WW (RGB-CCT) IP65 24V *Milight/Miboxer*
148015	Synergy 21 LED floodlighter 10W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148017	Synergy 21 LED floodlighter 20W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148018	Synergy 21 LED floodlighter 30W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*
148113	Synergy 21 LED floodlight 50W RGB-WW (RGB-CCT) IP65 230V *Milight/Miboxer*